

SEND COMPLETED FORMS TO: NAISHA KHANNA | 905-362-1290 | SALES@LANGESHOW.COM

ELECTRICAL SERVICE ORDER FORM

SECURITY CANADA CENTRAL, OCTOBER 21 - 22, 2026

TORONTO CONGRESS CENTRE - SOUTH BUILDING

EXHIBITOR INFORMATION

EXHIBITING COMPANY:	CONTACT NAME: EMAIL :	BOOTH (S) #:
---------------------	--------------------------	--------------

PLEASE READ REVERSE SIDE FOR RULES AND REGULATIONS

QTY	DESCRIPTION	ORDERS RECEIVED ON OR BEFORE: 10TH SEP, 2026	ORDERS RECEIVED BETWEEN: 11TH SEP - 16TH OCT, 2026 (BEFORE 5PM)	ORDER RECEIVED BETWEEN: 16TH OCT, 2026 (5PM) & ON SITE	AMOUNT
-----	-------------	--	--	--	--------

120 VOLT ELECTRICAL OUTLETS

POWER SUPPLIED AT BACK-OF-BOOTH (NO BOOTH LAYOUT REQUIRED)

	1500 watt, 12 amp, 120 volt duplex outlet			\$468.00	
	1800 watt, 15 amp, 120 volt outlet			\$561.00	
	24 hour, 1500 watt, 12 amp, 120 volt duplex outlet			\$712.00	
	2400 watt, 20 amp, 120 volt outlet			\$752.00	

SPECIAL UNDERCARPET PLACEMENT (BOOTH LAYOUT IS REQUIRED)

	1500 watt, 12 amp, 120 volt duplex outlet			\$578.00	
	1800 watt, 15 amp, 120 volt outlet			\$670.00	
	2400 watt, 20 amp, 120 volt outlet			\$950.00	
	24 hour, 1500 watt, 12 amp, 120 volt duplex outlet			\$825.00	

SPECIAL OVERHEAD PLACEMENT (BOOTH LAYOUT IS REQUIRED)

	1500 watt, 12 amp, 120 volt duplex outlet			\$578.00	
	1800 watt, 15 amp, 120 volt outlet			\$670.00	
	24 hour, 1500 watt, 12 amp, 120 volt duplex outlet			\$825.00	

POWER ACCESSORIES

	15ft. extension cord			\$44.00	
	Power bar			\$63.00	

RENTAL LIGHTING

CEILING MOUNTED FIXTURES

	LED White Light (LLEDOH)			\$810.00	
	Source 4 Par Fixture (L575S4)			\$744.00	

SYSTEM & BOOTH LIGHTING (HARD WALL REQUIRED)

	24 watt LED black arm light fixture (LLEDA)			\$319.00	
--	---	--	--	----------	--

SYSTEM & BOOTH LIGHTING (FASCIA OR HARD WALL REQUIRED)

	3ft track complete with 3-24 watt LED fixture(LT3150)			\$647.00	
--	---	--	--	----------	--

FLOOR LIGHTING

	2-24 watt LED fixtures on 8ft telescopic stand (L2150)			\$394.00	
--	--	--	--	----------	--

NO ORDERS PROCESSED UNTIL FULL PAYMENT RECEIVED.

HST #R124 192 220

BILLING INFORMATION ATTACHED REVERSE SIDE

SUB-TOTAL

13 % HST

TOTAL

SEE REVERSE FOR RULES AND REGULATIONS & PAYMENT DETAILS

AUTHORIZED SIGNATURE : _____ DATE : _____

SEND COMPLETED FORMS & QUOTE REQUESTS TO:

NAISHA KHANNA | (905) 362 1290 | SALES@LANGESHOW.COM

ELECTRICAL SERVICE ORDER FORM

PAYMENT DETAILS

☐ VISA* ☐ MASTERCARD*

CREDIT CARD NO: _____ EXPIRY DATE: MM/YY ____ / ____ CVV: _____

AUTHORIZED SIGNATURE: _____ PRINT NAME: _____

BILLING NAME AND ADDRESS : OUR INVOICE/RECEIPT WILL BE SENT ELECTRONICALLY

PLEASE PROVIDE US WITH THE APPROPRIATE EMAIL ADDRESS: _____

COMPANY: _____ PO#: _____ POSTAL/ZIP CODE: _____

ADDRESS: _____ PROV/STATE: _____ CITY: _____

ALL SERVICES FOR THIS SHOW ARE PRE - PAID

RULES AND REGULATIONS

GENERAL: The Centre and/or its agents reserve the right to inspect any and all equipment and materials which a tenant may wish to have connected to the Centre's power sources and/or may wish to use while in the building. Only an authorized (Lange) qualified tradesperson is permitted to make a connection to any of the Centre's electrical or mechanical sources. No electrical/mechanical equipment shall be restarted after failure until a (Lange) qualified tradesperson has found and corrected the cause of the malfunction. All materials and equipment supplied by Lange shall remain the property of the Company. The Exhibitor shall be held responsible of loss of such materials as are associated with his booth and shall compensate Lange in the event of loss or damage.

PAYMENT: All orders must be paid in advance in Canadian Funds. Out of country payment may be made by Canadian money order, or credit card. Purchase orders are not considered payment. Orders that do not include payment will be regarded as incomplete and will not be processed.

DISCOUNTS: Pre-show advance price will apply to orders with payment received prior to the deadline date. Orders received after this date shall be priced as after the Deadline Prices.

ON SITE ORDERS: Orders placed during the move-in of the show MUST be paid by valid credit card. Cheques will only be accepted if accompanied by a valid credit card number and signature.

RATES: Additional and/or special electrical/mechanical requirements are available on request and shall be supplied at an hourly rate charged for labour plus the cost of material used. Rates quoted by Lange include installation, service while in use, and removal.

CREDITS: It is the exhibitor's responsibility to advise a Lange Representative of any problem with our service or product prior to the close of the show.

CANCELLATIONS: (a) If services have already been provided at the time of cancellation, original charges will apply. (b) No refunds on services that require advance planning i.e. special electrical circuits, transformers, special lighting and non-electrical items. (c) A 50% refund will be given on listed items on order form if cancelled IN WRITING at least 4 days prior to show move-in.

TAX EXEMPTION STATUS: If you are exempt from Sales Tax, the Provincial Government requires that you forward an exemption certificate to us. Resale certificates are not valid unless you are re-billing these charges to your customers. **THIRD PARTY ORDER (Exhibitor appointed Contractor):** It is understood and agreed that the exhibiting firm is ultimately responsible for payment of charges. In the event that the named third party does not pay amount owing by the move-in time, charges will revert to the exhibiting company.

ELECTRICAL: 1. ALL OUTLETS ARE SUPPLIED TO BACK AREA OF BOOTH. If required elsewhere, extension cords will be available at Lange's service area for a nominal charge. Additional charges may apply for outlets/feeders fed under carpets. 2. All electrical power is turned off after show closes and turned on prior to show opening. IF YOU REQUIRE POWER ON A 24 HOUR BASIS, PLEASE INDICATE ON ORDER FORM IN CORRECT SPACE PROVIDED. 3. Permanent building receptacles and columns are not part of booth space. Exhibitors utilizing these receptacles will be charged for their use. Borrowing power from an adjoining booth is not permitted. 4. All electrical connections, installations, motor connections or any electrical operating equipment must conform to all Canadian Standards Association requirements and the Canadian Electrical Code. The use of two wire ungrounded extension cords is prohibited. 5. All electrical equipment should be properly tagged and wired with full information as to ampere, wattage, kilowatts, horsepower, volts, phase, cycle, etc. ready for connection. 6. Lange is not responsible for damages or expenses incurred due to power surges, spikes or loss of power.

ELECTRICAL SAFETY REGULATIONS: It is a requirement of Rule 2-022 of the Electrical Safety Code, a provincial regulation, that any electrical equipment which is being displayed, offered for sale or used in any show, convention, or similar exhibition MUST BE APPROVED. The authority for enforcing this regulation is vested in the Local Hydro Electrical Inspection Department.

MECHANICAL: 1. All mechanical equipment shall have a nameplate attached thereto showing approval by the applicable Provincial Authority. 2. It is the responsibility of the Exhibitor to ensure that all pollutants, hazardous wastes, contaminated water etc. is disposed of by a Government Licensed firm for the appropriate waste product.

MULTIPLE OUTLET LOCATIONS / ISLAND BOOTHS: A scaled floor plan is required for orders with multiple outlet locations and/or island booths. If a power location or main drop in an island booth is not provided prior to show move-in, a location will be determined by Lange in order to maintain delivery schedules. Relocation of the service will be charged on a time and material basis.

INLINE AND PENINSULA BOOTHS: Power will be placed in the back of the booth unless otherwise specified.

SEPARATE OUTLETS: Separate outlets should be ordered for each piece of equipment and/or each power location.

OVERHEAD POWER: If you require your power from overhead, additional materials and labour may be incurred. Please contact Lange.

ELECTRICAL SERVICE ORDER FORM

LANGE is pleased to offer the rental lighting options listed below.

Adding additional lighting to your booth creates a dramatic visual impact when done right!

CEILING MOUNTED FIXTURES



LED WHITE LIGHT (LLEDOH)

- * Energy efficient
- * Pure white light
- * Equivalent light output to our Source 4 Par Fixture
- * Covers approximately a 12' x 10' area
- * Mounting height dependent on ceiling height of the facility



SOURCE 4 PAR FIXTURE (L575S4)

- * Clean, bright and efficient
- * Equivalent light output to a 1000 watt quartz floodlight
- * Mounting height dependent on ceiling height of the facility

SYSTEM & BOOTH LIGHTING (HARD WALL REQUIRED)



24 WATT LED BLACK ARM FIXTURE (LLEDA)

- * Equivalent light output to a 200 watt quartz arm light
- * Pure white – ideal for highlighting clothing, jewelry, art, graphics and more
- * Attaches to a hard wall



3' TRACK COMPLETE WITH 3 – 24 WATT LED FIXTURES (LT3150)

- * Equivalent light output to a 450 watt quartz floodlight
- * Ideal for fascia lighting
- * Clean and attractive lighting system
- * Pure white light, excellent way to accent any product
- * Attaches to a fascia or hard wall

FLOOR



2 – 24 WATT LED FIXTURES ON AN 8' TELESCOPIC STAND (L2150)

- * Equivalent light output to a 400 watt halogen bulb
- * Pure white light with clean lines.
- * Excellent way to highlight a focal point in your booth
- * Lamps are mounted on a sturdy cross bar with a 140 degree tilt
- * For optimum lighting, fixture is placed in the front corner of booth
- * Covers approximately an 8' x 8' area

HELPFUL TIPS

- Borrowing power from an adjoining booth is NOT permitted. Sharing your neighbour's power may overload the circuit.
- All equipment must be approved for use by a recognized certification agency (i.e. CSA, ULC). Approval markings can be found on the rating nameplate located on the back or bottom of the equipment.
 - Check the equipment rating nameplate on the bottom or back of your equipment to determine your total electrical needs.
 - Order 24-hour outlets if you require your power to remain energized overnight (i.e. for refrigerators, freezers, fish tanks, etc).
 - All equipment must have a 3-wire grounded cord, minimum of #14 gauge wire.
- A Ground Fault Circuit Interrupter (GFI) must protect all 120 volt electrical equipment/devices within 6 feet of a water/liquid source.

Ontario's Electrical Safety Authority (ESA) requires that all machinery that will be displayed and/or powered up during an event must be approved by the ESA before show opening. Exhibitors are responsible to obtain "Permission to Show/Energize" from the ESA directly. LANGE cannot apply or be responsible for this permission. To obtain the ESA "Permission to Show/Energize Application", go to <https://www.esasafe.com/consumers/permits-and-inspections/inspection-forms> to apply for permission/approval from the ESA. Apply as soon as possible to avoid onsite complications.

120 VOLT ELECTRICAL OUTLETS

POWER SUPPLIED AT BACK-OF-BOOTH (NO BOOTH LAYOUT REQUIRED)

1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET ☐ Standard office/home outlet with 2 plugs	1800 WATT, 15 AMP, 120 VOLT OUTLET ☐ Standard office/home outlet with 1 plug
24 HOUR, 1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET ☐ Standard office/home outlet with 2 plugs ☐ For equipment requiring continuous power	2400 WATT, 20 AMP, 120 VOLT OUTLET ☐ Standard office/home outlet with 1 plug
SPECIAL UNDERCARPET PLACEMENT (BOOTH LAYOUT IS REQUIRED)	
LANGE WILL PLACE POWER CORDS UNDER THE CARPET TO LOCATIONS SPECIFIED ON YOUR BOOTH LAYOUT FORM. IF A LAYOUT IS NOT PROVIDED, LANGE WILL PLACE THE OUTLET(S) AT OUR DISCRETION.	
1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET ☐ Standard office/home outlet with 2 plugs	1800 WATT, 15 AMP, 120 VOLT OUTLET ☐ Standard office/home outlet with 1 plug
24 HOUR, 1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET ☐ Standard office/home outlet with 2 plugs ☐ For equipment requiring continuous power	
SPECIAL OVERHEAD PLACEMENT (BOOTH LAYOUT IS REQUIRED)	
IF POWER IS REQUIRED FOR A TOWER, SIGNAGE SUSPENDED FROM THE CEILING, ETC. LANGE WILL DROP THE POWER CORD(S) FROM THE CEILING TO THE LOCATION(S) SPECIFIED ON YOUR BOOTH LAYOUT FORM.	
1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET ☐ Standard office/home outlet with 2 plugs	1800 WATT, 15 AMP, 120 VOLT OUTLET ☐ Standard office/home outlet with 1 plug
24 HOUR, 1500 WATT, 12 AMP, 120 VOLT DUPLEX OUTLET ☐ Standard office/home outlet with 2 plugs ☐ For equipment requiring continuous power	
POWER ACCESSORIES	
15FT EXTENSION CORD ☐ Can only be provided if an outlet has also been ordered	
208 VOLT ELECTRICAL SERVICES	
See the attached <i>Electrical & Lighting Order Form</i> for standard 208 volt electrical services up to 60 amps. Other voltages and amps are available upon request. The ratings placed on equipment will indicate voltage, amps/watts/hp/kw and phasing. CONTACT LANGE 3 WEEKS PRIOR TO THE MOVE-IN DATE FOR QUOTATIONS.	
IMPORTANT FACTS FOR EXHIBITORS	
ELECTRICAL	
1. The Toronto Congress Centre voltages are 600/120/208 volts 3 phase. Please check with your technical coordinator to see if your machines are compatible with these voltages. If so, you will save on costs. 2. All other voltages are available from LANGE with the use of a transformer. Transformers must be placed within your booth space so please allow for the transformer when you do your space plan/layout. Approximate size can be provided by LANGE (see below for contact info). 3. Transformers will be required on 208-volt connections greater than 30 amps. 4. 600-volt connections do not require a transformer. 5. The Toronto Congress Centre does not have floor ports. 6. Power will be distributed by LANGE from exterior walls, columns (in some buildings) and cable drops from the ceiling. 7. If you have an Island booth, please indicate a main power drop location on LANGE's Booth Layout Form and submit the form with your Electrical & Lighting Order Form. We will distribute under carpet outlets from that location.	
MECHANICAL	
8. Compressed air pressure is approximately 110 PSI and available anywhere in the facility by ordering from LANGE. Please use the LANGE's Mechanical Order Form to order this service. 9. The Toronto Congress Centre does not have floor ports. 10. Air lines are distributed by LANGE from exterior walls, dropped from the ceiling or from columns (in some buildings). 11. Only ½" air lines can be run under carpet in booths. 12. If you are in an island booth, please indicate a main air drop location on LANGE's Booth Layout Form and submit with your Mechanical Order Form. LANGE will distribute any under carpet requirements from that location. 13. Water pressure is approximately 50 PSI and available anywhere in the facility by ordering from LANGE's Mechanical Order Form. 14. If you require hot water for your booth, an electric hot water tank will need to be installed by LANGE within your booth space. Please plan accordingly and notify us in the Special Requirements space on the bottom of the LANGE Mechanical Order Form or call for assistance (905-362-1290). 15. Natural gas is available in various locations within the facility. Please check with LANGE (905-362-1290) or Show Management, as soon as possible, if you require Natural Gas. 16. Sanitary floor drains are located in various locations within the facility. Please check with LANGE (905-362-1290) or Show Management, as soon as possible, if you require a drain connection.	